



Siemonie CLASSIC TOUCH

General Information



Siamonie CLASSIC TOUCH

General Information

MADE
IN
GERMANY

Introduction

- A stable 7" touch display behind a 4 mm safety glass, brilliant image representation and colour quality
- 10 image selection buttons with a second level for refinement; Optional: Additional level for espresso specialties
- Conversion of images and easy editing by Drag & Drop
- Exporting the design via a USB stick
- Direct language switch and individually programmable screen interface via SiDesigner



Overview

Dimensions:	710 x 450 x 570 mm (height x width x depth)*
Weight:	Approx. 68 kg
Electrical connection values:	220 - 230 V / 50/60 Hz / 16 A
Output:	2.9 kW (optional 2.2 kW)
Number of drinks:	Max. 250 cups/hour

**Deviations in the housing dimensions are possible due to add-on parts and accessories.*

Design variants

Cabinet colours

- Jet black (RAL 9005)

Door color

- Jet black (RAL 9005)

Siamonie CLASSIC TOUCH

General Information



- Signal white (RAL 9003)

Delivery unit shutter

- Jet black (RAL 9005)

Optional

- The panel can be designed individually and can be delivered in all RAL colors.

Options and accessories

Chilling module

- Glass storage area on top
- High-performance, insulated compressor fridge
- Programmable cooling chamber temperature
- Digital temperature indicator
- Milk container with a capacity of 7.0 l
- Optional: Lockable front door

Base cabinets

- High-value, moisture-resistant floor-standing or side cabinet with elevated rear wall. Also fitted with cable and wiring conduits
- Additional accessories available
- Push-function cabinet doors
- Fronts are available either in high-gloss white or black

Payment module

- For coin mechanisms, banknote readers, cashless payment systems and credit systems

Cup warmer

- Four heated glass shelves (temperature: 70 °C according to DIN)
- Storage capacity per shelf: 15 coffee cups or 25 espresso cups or 15 latte macchiato glasses
- The glass shelf on the top holds approx. 12 cups
- The individual shelves with indirect LED lighting have 2 separate switches
- Double-walled housing construction for energy-efficient heating



Sielaff GmbH & Co. KG
Automatenbau Herrieden
Münchener Str. 20
91567 Herrieden
Germany

Phone: +49 9825 18-0
Telefax: +49 9825 18-311155
info@sielaff.de
www.sielaff.com

See here for our
company profile video



■ MADE
■ IN
■ GERMANY

Technical changes and errors excepted.
All illustrations are exemplary and may include optional equipment.