

High Security Robimat XL



High Security Robimat XL



Introduction

- Version for locations exposed to vandalism
- Anti-vandalism panel
- Coin insert slide and coin return drum
- Reinforced locking lever protection



Overview

Dimensions without anti-theft protection frame: Dimensions with anti-theft protection frame: Weight: Electrical connection values: Power consumption: 1,832 x 1,148 x 951 mm (height x width x depth)* 1,845 x 1,209 x 951 mm (height x width x depth)* Approx. 380 kg (in standard configuration with 5 shelves) 220 - 230 V~ / 50 Hz / min. 10 A 400 - 750 W (varies depending on the type of chiller unit)

*Deviations in the housing dimensions are possible due to add-on parts and accessories.

Design variants

Operator panel

- RB = Operator panel RAL painted
- EB = Operator panel made from stainless steel

High Security Robimat XL



Options and accessories

- High security frame with side lock, so that the machine can be installed without a housing
- Additional rear panel if the machine is not installed against a wall: greater security, extra branding area

Technical changes and errors excepted.



Sielaff GmbH & Co. KG Automatenbau Herrieden Münchener Str. 20 91567 Herrieden Germany

Phone: +49 9825 18-0 Telefax: +49 9825 18-311155 <u>info@sielaff.de</u> <u>www.sielaff.com</u> See here for our company profile video



